

# MiniMix<sup>®</sup> 100 CC

Lab blender



interscience

# Simple, Accurate, Space-saving

*The most compact blender in the world, BagMixer® 100 MiniMix is available in Click & Clean® version!*

MiniMix® 100 automatically blends any solid sample in a sterile bag and allows safe and easy extraction of bacteria. You can pipet and analyse the filtrate without any risk of alteration or cross contamination. **This is the safest and most economical sample preparation method.**

MiniMix® 100 CC incorporates the Click & Clean® and side-by-side paddle stopping systems, already highly acclaimed on BagMixer® 400 CC and the adjustable blending strength system.




## 1 Multifunction screen

For easy control of the blending parameters

Blending time


Blending speed



## 2 Q-Tight® system


A special closing system that avoids every risk of leaking.

Leak-tight




## 3 Adjustable blending strength PATENTED

You can adapt the blending chamber to the size of the sample to get OPTIMAL EXTRACTION!




## 4 Click & Clean® system PATENTED

UNIQUE! TOTAL CLEANING of the blending chamber is possible!



## 5 Side-by-side paddle stop PATENTED

For easy and fast insertion of your sterile bags in the blender.



## Advantages

- Compact, silent
- User friendly
- Optimal extraction
- Lifetime warranty on window door and shock absorbers
- Stainless steel
- Q-Tight®: Leak-tight
- Easy and total cleaning

## Applications

- Food microbiology
- Pharmaceutical
- Veterinary, clinical (biopsies, organ sampling...)
- Molecular extraction (proteins, lipids, DNA...)
- Toxin research (HPLC, GCMS...)

## Specifications

- Useful capacity: 5-100 mL
- For samples: 0.5 g - 10 g
- Adjustable time: 1 s to 59 mn. countdown & open running (∞)
- Speed calibrated by microprocessor (3 - 12 strokes/s)
- Side by side paddle stop
- Q-Tight® seal: thickness of 12mm
- Stainless steel
- Drip tray
- Adjustable blending power
- Click & Clean® system: removable & autoclavable paddles
- Multifunction screen
- Lifetime warranty on window door & shock absorbers

- Pwr: 110 / 220 V ~ 50 - 60 Hz
- Dim. (w x d x h): 21 x 37 x 20 cm
- Net weight: 13 Kg

Ref : 013 230

ISO  
6887-1

ISO  
7218

FDA BAM  
Bacteriological Analytical  
Manual

ISO  
9001  
2008

WEEE  
2002/96/EC


RoHS  
2002/95/EC

## Also available



### MiniMix® 100 P CC

- Variable blending speed (3-12 strokes/s)
- Variable blending time (1 - 1h or ∞)
- Available in CoolMix® version



### BagPage® 80 & 100

*Full page sterile filter bags*

Robust & food compatible, multilayer.



### BagLight® 100

*Plain sterile bags*

Made of PolySilk®, extremely robust. For samples that do not require any filtration.



### BagOpen® 100

*Bag opener*

Easy opening, extremely stable. Resistant to cleaning agents.



### DiluFlow®

*Gravimetric dilutor*


Automatically dilutes with the appropriate mass of solvent.



### BagClip® 100

*Closing clips*

100% watertight & waterproof, closes any kind of bag.



### RollBag®

*Sampling bag*

For collecting, sampling & preservation of any sample. Stands up alone.




### BagRack® 100

*Storage rack*

Stainless steel, autoclavable.

## Discover our complete range for microbiology



**BagFilter®**  
Sterile bags



**DiluFlow®**  
Gravimetric dilutors



**FlexiPump®**  
Peristaltic pumps



**easySpiral Dilute®**  
Serial dilutors and platers



**Scan®**  
Colony counters

Distributor

## interscience INTERNATIONAL

30, ch. Bois Arpents - 78860 St Nom - FRANCE  
T: +33 (0)1 34 62 62 61 - F: +33 (0)1 34 62 43 03  
E-mail: [info@interscience.com](mailto:info@interscience.com)

## interscience USA & CANADA

199 Weymouth ST. - ROCKLAND - MA 02370 - USA  
T: +1 781 792 2133 - F: +1 781 792 2134  
E-mail: [sales.usa@interscience.com](mailto:sales.usa@interscience.com)

## interscience CHINA

上海市徐汇区吴兴路277号锦都大厦718室-200030  
电话: +86 (0)21-64739390 - +86 189 3097 0733  
邮址: [sales.china@interscience.com](mailto:sales.china@interscience.com)